



**STOP** READ ENTIRE LABEL BEFORE USE.

## DIRECTIONS FOR USE.....

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

 **Do not allow children or pets into the treated area until dry.**

- **Do not water the treated area to the point of runoff.**
- **Do not make applications during rain.**
- **Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.**

**In New York State, this product may not be applied to lawns within 100 ft of a coastal marsh, or stream that drains directly into a coastal marsh.**

## HOW TO APPLY.....

Determine the size of the spraying job. For lawns, measure the area to be sprayed. For trees, shrubs and flowers, apply as a thorough cover spray. Begin treating when insects first appear. Applications should be repeated only as directed to maintain control. Apply as directed. Remember, thorough coverage is important.

### USING THE READY SPRAY NOZZLE

1. Shake container well before using.
2. Connect a garden hose to the sprayer nozzle. Make sure switch is fully forward in the "OFF" position.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
4. Remove safety tab from sprayer's right side by pulling straight out. Discard or keep for future re-use.
5. To BEGIN spraying, point nozzle toward treatment site and pull switch backwards with thumb towards hose connection. Water will automatically mix with the product.
6. Spray until wet to control insects. Walk at a steady pace, working back toward the faucet while spraying using an even sweeping motion, slightly overlapping treated areas.
7. To STOP spraying, push switch forward with thumb toward nozzle. Turn water off at faucet. To relieve pressure before removing nozzle from hose, pull switch backwards with thumb towards hose connection until water stops spraying.
8. To STORE unused product, make sure switch is fully forward in the "OFF" position.
9. Re-install safety tab into sprayer's right side. With sprayer in the full "OFF" position, push tab into position.
10. Place in cool area away from heat, sunlight or open flame.

NOTE: This product is non-staining to most home siding depending on age and cleanliness. However, before using in areas where the spray may contact home siding (vinyl siding in particular), test in an inconspicuous area and recheck in a few hours. Do not use if any staining is observed.

## LAWNS.....

**THATCH-INFESTING INSECTS/UNDERGROUND INSECTS** including blue grass billbug (adult), black turfgrass *Atenius* (adult), chiggers, chinch bugs, white grubs (Japanese beetle, European chafer, southern chafer), dung beetle and hyperodes weevils (adult) and mole crickets (nymphs and young adults). Use 1 qt of Cutter® Backyard™ Bug Control Spray Concentrate to treat 2,500 sq ft of lawn. For sub-surface insect control (mole crickets, grubs), water treated area with additional 1/4 to 1/2 inch of water for optimum results. Do not apply more than seven times per year per location.

**SURFACE INSECTS** including ants\*\*, armyworms, cockroaches, crickets<sup>s</sup>, cutworms<sup>s</sup>, earwigs, fleas, ladybeetles\*\*\*\*, lawn moths (sod webworms), millipedes, mosquitoes, moths\*\*, palmetto bugs, sowbugs, mites<sup>s</sup>, spittlebugs, lone star ticks, brown dog ticks, American dog ticks, deer ticks (which may transmit Lyme Disease) and waterbugs. Use 1 qt of Cutter Backyard Bug Control Spray Concentrate to treat 5,120 sq ft of lawn. Thoroughly wet down grass a few hours before applying. Delay additional watering or mowing for 24 hours after application for optimum control of surface insects. Do not apply more than 14 times per year per location.

**WHEN TO TREAT:** Treat the following pests during the months indicated or when first noticed.

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
				Billbugs				Grubs			
				Dung beetle grubs							
				Hyperodes weevils							
Treat ants** and other insects when they first appear or you notice lawn damage.											

\*\*Argentine, southern, field, Allegheny mound, Florida carpenter, red carpenter, black carpenter, harvester, cornfield, honey, pavement, nuisance, odorous, pyramid, black turf, white-footed, crazy, little black, ghost, thief, acrobat, citronella, big-headed, lawn, lasius

†House, common short-tailed, Indies short-tailed, Arizona, tropical, variable field, fall field, southeastern field, Texas field, spring field, northern wood, western striped, eastern striped, sand field, vocal field, southern wood

‡Black, bronzed, granulate, variegated, greasy, spotted, army, clover, green

\*\*\*\* Convergent, seven-spotted, two-spotted, thirteen-spotted, twice-stabbed, Asian

^Banks grass, carmine, European, grain, Pacific, russet, spruce

°Artichoke plume, gypsy, Zimmerman pine

## PESTS OUTSIDE THE HOME.....

**OUTDOOR SURFACES USE:** For control of ants\*\*, centipedes, cockroaches, crickets, fleas, kudzu bugs, millipedes, mosquitoes, palmetto bugs, scorpions, sowbugs, pillbugs, spiders, stink bugs, deer ticks and waterbugs. Apply as a residual treatment to ornamental plants next to foundations of buildings and to surfaces of buildings, porches, screens, window frames, eaves, patios, garages and other similar areas where these pests are active. One quart of Cutter Backyard Bug Control Spray Concentrate treats 2,100 sq ft. Repeat application every 12 weeks for control of house crickets, carpenter ants and harvester ants.

\*\*Argentine, southern, field, Allegheny mound, Florida carpenter, red carpenter, black carpenter, harvester, cornfield, honey, pavement, nuisance, odorous, pyramid, black turf, white-footed, crazy, little black, ghost, thief, acrobat, citronella, big-headed, lawn, lasius

## ORNAMENTAL TREES, SHRUBS AND FLOWERS.....

For use on ornamental trees, shrubs and flowers such as but not limited to: Ageratum, Aster, Arborvitae, Arizona Cypress, Azaleas, Begonia, Birch, Boxwood, Box Elder, Camellias, Carnations, Cherry (ornamental), Chrysanthemums, Coleus, Common Ninebark, Conifers, Douglas Fir, Elm, English Ivy, Euonymus, Exacum, Weeping Fig, Fir, Gladioli, Gold Bees, Hawthorn, Holly, Honeysuckle, Hypoestes, Ivy, Juniper, Lilac, Locust, Maple, Marigold, Mimosa, Mock Orange, Nannyberry, Oak, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Pine, Ornamental Plum, Poinsettia, Poplar, Tulip Poplar, Rhododendron, Roses, Snagdragon, Snowberry, Spruce, Taxus, Willow, Zinnia.

To control ants\*\*, armyworms, azalea caterpillar, aphids\*\*\*, bagworms, black vine weevil (adult), boxelder bugs, budworms, California oakworm, cankerworms, cicadas, cockroaches, crickets<sup>s</sup>, cutworms<sup>s</sup>, Eastern tent caterpillar, elm leaf beetles, European sawfly, fall webworm, flea beetles, forest tent caterpillar, gypsy moth larvae, Japanese beetles (adults), June beetles (adults), lace bugs, ladybeetles\*\*\*\*, leaf-feeding caterpillars, leafhoppers<sup>s</sup>, leafminers\* (adults), leafrollers<sup>s</sup>, leaf skeletonizers, kudzu bugs, midges, moths<sup>s</sup>, oleander moth larvae, pillbug, pine sawfly, pine shoot beetles, pinetip moths, plant bugs, root weevil, sawfly, scale insects (crawlers), spiders, spittlebugs, stink bugs, striped beetles, striped oakworm, thrips, tip moth, tussock moth larvae, broadmites, brown softscale, California redscale (crawler), clover mites, mealybugs, pineneedle scale (crawler), spider mites and whiteflies.

\*\*Argentine, southern, field, Allegheny mound, Florida carpenter, red carpenter, black carpenter, harvester, cornfield, honey, pavement, nuisance, odorous, pyramid, black turf, white-footed, crazy, little black, ghost, thief, acrobat, citronella, big-headed, lawn, lasius

\*\*\*Buckhorn, greenbug, pea, root, rose, walnut

†House, common short-tailed, Indies short-tailed, Arizona, tropical, variable field, fall field, southeastern field, Texas field, spring field, northern wood, western striped, eastern striped, sand field, vocal field, southern wood

‡Black, bronzed, granulate, variegated, greasy, spotted, army, clover, green

\*\*\*\* Convergent, seven-spotted, two-spotted, thirteen-spotted, twice-stabbed, Asian

§Mountain, rose, southern garden, variegated, variegated larvae, Virginia creeper, aster, six-spotted, elm, whitebanded elm, sharpnose, bluntnose, rebanded, rice, eastern grape, potato, western grape

+Corn blotch, alder, boxwood, holly, oak, spruce needle, tentiform, vegetable

°Oblique banded, red-banded, variegated

°°Artichoke plume, gypsy, Zimmerman pine

Apply as a thorough foliar spray. Wet leaves and branches to the dripping point. Try to spray underside of leaves and penetrate dense foliage.

### USE TIPS

- For best results, apply early before insect populations are high.
- For scale control, treat entire plant, including stem, trunks and twigs.
- For bagworm control, apply when bagworm larvae begin to hatch.

**ALTO** LEA TODA LA ETIQUETA ANTES DE USAR.

## MODO DE EMPLEO.....

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

 **No permita que los niños ni las mascotas entren en la zona tratada hasta que esté seca.**

- **No riegue la zona tratada hasta el punto de escurrimiento.**
- **No realice aplicaciones durante lluvias.**
- **Se prohíbe la aplicación directa a alcantarillas o drenajes, así como a cualquier zona similar a una cuneta en la que pueda producirse el drenaje a alcantarillas, drenajes pluviales, masas de agua o hábitats acuáticos. No permita que el producto entre en ningún drenaje durante o después de su aplicación.** En el Estado de Nueva York, no se podrá aplicar este producto en céspedes ubicados a una distancia de hasta 100 pies de un pantano costero o de un arroyo que desemboque directamente en un pantano costero.

## CÓMO APLICAR.....

Determine la magnitud de la tarea de rocío. Para céspedes, mida el área que se va a rociar. En árboles, arbustos y flores, aplique como un rocío que cubra por completo. Comience el tratamiento cuando aparezcan los insectos por primera vez. Las aplicaciones sólo se deben repetir como se indica para mantener el control. Aplique como se indica. Recuerde, es importante que la cobertura sea completa.

### CÓMO USAR LA BOQUILLA READY SPRAY

1. *Agite bien el envase antes de usar.*
2. Conecte una manguera de jardín a la boquilla del rociador. Asegúrese de que la llave esté completamente al frente en la posición "OFF" (apagado).
3. Abra el agua del grifo. Extienda la manguera hasta la zona más alejada que se vaya a tratar y retroceda hacia el grifo de manera de no entrar en contacto con la zona tratada.
4. Quite la lengüeta de seguridad de la parte derecha del rociador jaliándola hacia afuera. Deseche o guarde para su uso futuro.
5. Para COMENZAR a rociar, dirija la boquilla hacia la zona a tratar y con el dedo pulgar, jale la llave hacia atrás hacia la conexión de la manguera. El agua se mezclará automáticamente con el producto.
6. Rocíe hasta mojar para controlar los insectos. Camine a ritmo regular, volviendo hacia el grifo mientras rocía con un movimiento de barrido parejo, superponiendo ligeramente las zonas tratadas.
7. Para DETENER el rocío, presione con el dedo pulgar la llave adelante hacia la boquilla. Cierre el agua del grifo. Para reducir la presión antes de quitar la boquilla de la manguera, con el dedo pulgar, jale la llave atrás hacia la conexión de la manguera hasta que el agua deje de salir como rocío.
8. Para GUARDAR el producto sin usar, asegúrese de que la llave esté completamente al frente en la posición "OFF" (apagado).
9. Vuelva a colocar la lengüeta de seguridad en la parte derecha del rociador. Con el rociador en la posición "OFF" (apagado) completamente, presione la lengüeta en su posición.
10. Guarde en un lugar fresco, lejos del calor, la luz solar o el fuego.

NOTA: Este producto en general no mancha la mayoría de los revestimientos del hogar, dependiendo de la antigüedad y limpieza de los mismos. No obstante, antes de utilizarlo en zonas dónde el rocío pueda entrar en contacto con el revestimiento del hogar (en particular con revestimientos vinílicos), pruébelo en un lugar que no sea muy visible y verifique su efecto unas horas más tarde. No lo utilice si observa manchas.

## STORAGE AND DISPOSAL .....

**Storage:** Store in a cool, dry area away from heat or open flame.

**If empty:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS .....

### Hazards to Humans and Domestic Animals

**CAUTION.** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

### FIRST AID

**If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor for treatment advice.

### Environmental Hazards

This product is extremely toxic to fish and other aquatic organisms. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.**

**Questions or Comments?** Call 1-800-767-9927 or visit our website at

[www.cutterinsectrepellent.com](http://www.cutterinsectrepellent.com)

**NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.**

**¿Preguntas o comentarios?** Llame al 1-800-767-9927.

Product of China

Distributed by Spectrum, a Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-262-121 EPA Est. Nos. 9688-MO-1 (U), 89964-GA-1 (E), 58996-MO-1 (AE), 87703-VA-1 (B)

Circled letter is first letter of lot number. 17-17865 © 2021 United Industries Corporation. All Rights Reserved.