


Conforms to Hazard Communication Standard 29 CFR 1910.1200

Section 1 - IDENTIFICATION

Product Identifier:	Cutter® Backwoods® High DEET Insect Repellent
Other Means of Identification:	
Product Code	HG-66647; HG-86647; HG-96647; HG-56647; HG-96647W; WHG-96647W
Formula Number	21-0996
EPA Reg. Number	305-46-121
Recommended Use:	Insect Repellent - Aerosol
Recommended Restrictions:	Use in accordance with label directions
Manufacturer/Importer/Supplier/Distributor Information:	
Company Name	Spectrum, Division of United Industries Corporation
Address	PO Box 142642, St. Louis, MO 63114-0642
Telephone Number	1-800-767-9927
Emergency Telephone Number:	
CHEMTREC	(800)424-9300
Medical	(866)823-2749

Section 2 - HAZARD(S) IDENTIFICATION

Classification of Substance or Mixture:	
Physical Hazard(s)	Flammable Aerosol - Category 2 Gases Under Pressure - Low Pressure Liquefied Gas
Health Hazard(s)	Eye Irritant - Category 2A
Label Elements:	
Hazard Pictogram(s)	
Signal Word	WARNING
Hazard Statements:	Flammable aerosol Contains gas under pressure; may explode if heated Causes serious eye irritation
Precautionary Statements:	Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Wash hands thoroughly after handling. Wear eye protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Hazard(s) not Otherwise Classified (HNOC):	No additional information available
Supplemental Information:	None

Section 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Synonyms	CAS Number	%
N,N-Diethyl-m-toluamide (DEET)	n/a	134-62-3	40.0
Ethanol	n/a	64-17-5	20.0
Isobutane	n/a	75-28-5	10.0
Butane	n/a	106-97-8	1.0

In accordance with paragraph (d) of 1910.1200, the exact percentage (concentration) has been withheld as a

Section 4 - FIRST-AID MEASURES

Inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin Contact:	In case of contact, wash skin with plenty of water. If skin irritation or redness develops, seek medical attention.
Eye Contact:	In case of contact, flush eyes for 15 minutes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Immediately call a poison center/doctor.
Most Important Symptoms/Effects, Acute and Delayed:	Symptoms of exposure may include, irritation of eyes and nose, cough and/or shortness of breath.
Indication of Immediate Medical Attention & Special Treatment Needed:	Immediate medical attention should not be required.

Section 5 - FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Dry chemical or CO ₂ .
Unsuitable Extinguishing Media:	None: Use extinguishing agent suitable for type of surrounding fire.
Special Protective Equipment and Precautions for Firefighters:	Keep upwind of fire. Vapors may cause dizziness or asphyxiation without warning. Vapors from liquefied gas are initially heavier than air and spread along ground. Contact with gas or liquefied gas may cause burns, severe injury or frostbite. Fire may produce irritating, corrosive and/or toxic gases. Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Structural firefighters' protective clothing will only provide limited protection.
In Case of Large Fire:	Water spray, fog or regular foam. Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.
Potential Hazards:	Some may burn but none ignite readily. Containers may explode when heated. Ruptured cylinders may rocket.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Methods and Materials for Containment and Cleaning Up:	Do not touch or walk through spilled material. Stop leak if you can do it without risk. Do not direct water at spill or source of leak. Use water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material. If possible, turn leaking containers so that gas escapes rather than liquid. Prevent entry into waterways, sewers, basements or confined areas. Allow substance to evaporate. Ventilate the area.
Environmental Precautions:	Report spills as required by local and national regulations. Prevent entry into storm sewers and waterways.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling:	Avoid breathing mist. Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Wear protective gloves, clothing and eye protection.
Conditions for Safe Storage, Including any Incompatibilities:	Keep out of reach of children. Keep container tightly closed. Keep away from heat, sparks, open flames, and hot surfaces. Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. Store in a well-ventilated place. Store in a well-ventilated place (See section 10).
NFPA 30B Classification:	Level 2 Aerosol

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters:

Chemical Name	Exposure Limits					
	OSHA PEL		ACGIH TLV		Supplier OEL	
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Ethanol	TWA 1000	TWA 1900	STEL 1000	-	IDLH 3300	-
Isobutane	-	-	STEL 1000	-	-	-
Butane	-	-	STEL 1000	-	-	-

Appropriate Engineering Controls: General ventilation should be adequate for all normal use.

Individual Protective Measures, Such as Personal Protective Equipment:

Eye/face protection:	Wear eye protection. Avoid eye contact.
Skin and body protection:	None required under normal use conditions.
Respiratory protection:	Use and store in a well-ventilated area.
General hygiene considerations:	Do not eat, drink or smoke where material is handled, processed or stored. Wash hands after handling.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, Odor):	Clear, colorless to pale yellow liquid Alcohol and DEET
---	--

Odor Threshold:	No data available
pH:	No data available
Melting / Freezing Point:	No data available
Initial boiling point and range:	No data available
Flashpoint:	29°C (liquid portion only)
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.914-0.933
Solubility(ies):	Soluble in water
Partition coefficient (n-octanol/water):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Heat of Combustion:	20.9 kJ/g

Section 10 - STABILITY AND REACTIVITY

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical stability:	Stable under normal storage conditions.
Possibility of hazardous reactions:	No dangerous reaction known under conditions of normal use.
Conditions to avoid:	Heat. Incompatible materials.
Incompatible materials:	None known.
Hazardous decomposition products:	May include, and are not limited to oxides of carbon.

Section 11 - TOXICOLOGICAL INFORMATION

Information on the likely routes of exposure: Inhalation, Ingestion and/or skin or eye contact

Symptoms related to the physical, chemical and toxicological characteristics:

Inhalation:	May cause respiratory tract irritation.
Ingestion:	May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
Skin contact:	May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Eye contact:	Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Acute Toxicity Values:

Calculated overall Chemical Acute Toxicity Values (ATE)		
LD50 (Oral)	LD50 (Dermal)	LC50 (inhalation)
>2000 mg/kg	>2000 mg/kg	>5mg/l

Eye Contact:

This product is an eye irritant.

Skin Contact:

Based on available data, the classification criteria are not met.

Sensitization:

Based on available data, the classification criteria are not met.

**Chronic Effects-
Carcinogenicity:**

Ingredient	Chemical Listed as a Carcinogen or Potential Carcinogen (NTP, IARC, OSHA)
There are no intentionally added ingredients greater than 0.1% in this product that are listed as potential carcinogens on the NTP, IARC or OSHA lists	

Reproductive Toxicity:

Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Comment:

All information was generated using the GHS classification criteria for mixtures and test data where available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity:

This product is a chronic aquatic toxicant, category 3. This product is toxic to fish. Do not apply directly to water.

Persistence and degradability:

No data available

Bioaccumulative potential:

No data available

Mobility in soil:

No data available

Other adverse effects:

No data available

Section 13 - DISPOSAL CONSIDERATIONS

Dispose of in accordance with all local, state,/provincial and federal regulations. For more information see product label.

Section 14 - TRANSPORTATION INFORMATION

DOT:	UN Number:	UN1950
	Proper Shipping Name:	Aerosols
	Hazard Class:	2.1
	Packing Group:	None
	Limited Quantity:	≤1L

IATA:	UN Number:	UN1950
	Proper Shipping Name:	Aerosols
	Hazard Class:	2.1
	Packing Group:	None

IMDG:	UN Number:	UN1950
	Proper Shipping Name:	Aerosols
	Hazard Class:	2.1
	Packing Group:	None
	Limited Quantity:	≤1L
	Marine Pollutant:	No

Section 15 - REGULATORY INFORMATION

US EPA Label Information:

EPA Pesticide Registration Number 305-46-121

Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subjected to certain labeling requirements under the federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

KEEP OUT OF REACH OF CHILDREN

Hazards to Humans and Domestic Animals

WARNING: Causes substantial but temporary eye injury. Do not get in eyes. Harmful if swallowed. Use of this product may cause skin reactions in rare cases. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If you suspect a reaction to this product:** Discontinue use. Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. Have the product container with you when calling a Poison Control Center or doctor, or going for treatment. For additional information in case of emergency call toll-free 1-800-767-9927. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS: FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply to synthetic fabrics such as acetate, rayon or spandex. Will not damage cotton, wool or nylon. May damage furniture finishes, leather, plastics and painted and varnished surfaces, including watch crystals, guns, bows and automobiles.

STORAGE AND DISPOSAL: Pesticide Storage: Store in a cool, dry place, out of reach of children. **Container Disposal:** Do Not Puncture or Incinerate! **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA TSCA Inventory: All of the components of this product are either on the Toxic Substances Control Act (TSCA) Inventory List or exempt.

SARA Hazard Category (311/312): See OSHA hazards listed in section 2.

Disclaimer: Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Section 16 - OTHER INFORMATION

Issue date: October 8, 2019
Revision date: April 3, 2020
Version number: 1.3