Conforms to Hazard Communication Standard 29 CFR 1910.1200

Section 1 - IDENTIFICATION

Product Identifier: Hot Shot Wasp & Hornet Killer₃

Other Means of Identification:

Product Code HG-13412; HG-13413; HG-13415; HG-13415C; HG-13416FD; HG-

13416W; HG-23416; HG-23416W; HG-33412; HG-33412DG; HG-33415; HG-43416FD; HG-53415; HG-53415C; HG-53416; HG-63415C; HG-63415FD; HG-63416WMT; HG-73415; HG-83412; HG-83415C; HG-86485; HG-86585; HG-86585; HG-86585; HG-86585; HG-86585; HG-86585; HG-86585; HG-86585; HG-86585; HG-86

96485

Formula Number 21-1497

EPA Reg. Number 9688-190-8845

Recommended Use: Insecticide - Wasp & Hornet

Recommended Restrictions: Use in accordance with label directions

Manufacturer/Importer/Supplier/Distributor Information:

Company Name Spectrum Group, Division of United Industries Address PO Box 142642, St. Louis, MO 63114-0642

Telephone Number 1-800-917-5431

Emergency Telephone Number:

CHEMTREC (800)424-9300 Medical (866)823-2749

Section 2 - HAZARD(S) IDENTIFICATION

Classification of Substance or Mixture:

Physical Hazard(s) Flammable Aerosol - Category 2

Gases Under Pressure - Liquefied Gas

Health Hazard(s) Skin irritant - Category 2

Label Elements:

Hazard Pictogram(s)







Signal Word WARNING

Hazard Statements: Flammable aerosol

Contains gas under pressure; may explode if heated

Causes skin irritation

Precautionary Statements: Keep away from heat, sparks, open flames, and hot surfaces. - No

smoking.

Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store in a well-ventilated place.

Wash hands thoroughly after handling. Wear protective gloves. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice. Take off contaminated clothing and wash it before

reuse.

Hazard(s) not Otherwise Classified (HNOC): No additional information available

Supplemental Information: None

Section 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Synonyms	CAS Number	%
Hydrotreated light petroleum distillates	n/a	64742-47-8	5.000
Propane	n/a	74-98-6	<3.500
Isopropyl Alcohol	n/a	67-63-0	2.040
Butane	n/a	106-97-8	<3.500
Prallethrin	n/a	23031-36-9	0.025
Solvent naptha (petroleum), light aromatic	n/a	64742-95-6	0.010
Cyhalothrin, lambda-	n/a	91465-08-6	0.010

In accordance with paragraph (d) of 1910.1200, the exact percentage (concentration) has been withheld as a trade secret. Other components are below reportable levels.

Section 4 - FIRST-AID MEASURES

Inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get medical advice/attention if you feel unwell.

Skin Contact: In case of contact, wash skin with plenty of water for 15 minutes. If skin irritation or

redness develops, seek medical attention.

In case of contact, flush eyes with plenty of water. Remove contact lenses, if worn. If Eye Contact:

irritation persists, get medical attention.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person. Get medical advice/attention.

Most Important Symptoms of exposure may include skin irritation, irritation of eyes and nose, cough

Symptoms/Effects, and/or shortness of breath.

Acute and Delayed:

Indication of

Seek medical attention if irritation persists.

Immediate Medical Attention & Special Treatment Needed:

Section 5 - FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Dry chemical or CO2.

Unsuitable Extinguishing Media: None: Use extinguishing agent suitable for type of surrounding fire.

Specific Hazards Arising from Products of combustion may include, and are not limited to: oxides of carbon.

the Chemical:

Special Protective Equipment

Keep upwind of fire. Vapors may cause dizziness or asphyxiation without and Precautions for Firefighters: warning. Vapors from liquefied gas are initially heavier than air and spread along ground. Contact with gas or liquefied gas may cause burns, severe injury and/or frostbite. Fire may produce irritating, corrosive and/or toxic gases. Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the

manufacturer. It may provide little or no thermal protection. Structural firefighters' protective clothing will only provide limited protection.

In Case of Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do

it without risk. Damaged cylinders should be handled only by specialists.

Potential Hazards: Some may burn but none ignite readily. Containers may explode when heated.

Ruptured cylinders may rocket.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Use personal protection recommended in Section 8. Isolate the hazard area

Equipment and Emergency

Procedures:

Methods and Materials for Containment and Cleaning Up:

Do not touch or walk through spilled material. Stop leak if you can do it without risk. Do not direct water at spill or source of leak. Use water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material. If possible, turn leaking containers so that gas escapes rather than liquid. Prevent entry into waterways, sewers, basements or

confined areas. Allow substance to evaporate. Ventilate the area.

and deny entry to unnecessary and unprotected personnel.

Environmental Precautions: Report spills as required by local and national regulations. Prevent entry into

storm sewers and waterways.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling: Avoid breathing mist. Avoid contact with skin and eyes. Do not swallow.

Handle and open container with care. When using do not eat, drink or smoke.

Wash hands thoroughly after handling.

Conditions for Safe Storage,

Including any Incompatibilities:

Keep out of reach of children. Keep container tightly closed. Keep away from heat, sparks, open flames, and hot surfaces. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated

place. (See section 10).

NFPA 30B Classification: Level 1 Aerosol

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters:

	Exposure Limits						
Chemical Name	OSHA PEL		ACGIH TLV		Supplier OEL		
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	
Hydrotreated Light Petroleum Distillates	-	-	-	TWA 5; STEL 10; TWA 200 (as total hydro- carbon vapor),8hr	-		
Propane	TWA 1000	TWA 1800	TWA 1000	-	NIOSH REL TWA 1000	NIOSH REL TWA 1800	
Butane	=	-	STEL 1000	-	=	-	
Isopropyl Alcohol	TWA 400	TWA 980	STEL 400; TWA 200	-	-	-	

Light aromatic naptha	TWA 500 TWA 2000	TWA 2000	-	200 (as total hydro-carbon		-
				vapor)		

Appropriate Engineering Controls: Wear appropriate respirator or use adequate ventilation where

situations arise that the exposure limits are exceeded.

Individual Protective Measures, Such as Personal Protective Equipment:

Eye/face protection: None required for normal use. Avoid eye contact.

Skin and body protection: Wash hands thoroughly after handling. Wear protective gloves.

Respiratory protection: None required under normal use conditions.

General hygiene considerations: Do not eat, drink or smoke where material is handled, processed or

stored. Wash hands after handling.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, Clear

color, etc.):

Clear to slightly hazy yellow liquid

Odor: Solvent and Pyrethroid
Odor Threshold: No data available

pH: 7.38

Melting / Freezing Point:No data availableInitial boiling point and range:No data availableFlashpoint:No data availableEvaporation Rate:No data availableFlammability (solid, gas):No data available

Upper/lower flammability or

explosive limits:

Vapor pressure:

No data available

No data available

No data available

Relative density: 0.806

Solubility(ies): Soluble in water

Partition coefficient (n-

octanol/water):

Auto-ignition temperature:

No data available

Heat of Combustion: 4.2kJ/g

Section 10 - STABILITY AND REACTIVITY

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical stability: Stable under normal storage conditions.

Possibility of hazardous

No dangerous reaction known under conditions of normal use.

reactions:

Conditions to avoid: Heat. Incompatible materials.

Incompatible materials: None known.

Page 5 of 7 July 16, 2024

Hazardous decomposition

products:

May include, and are not limited to oxides of carbon.

Section 11 - TOXICOLOGICAL INFORMATION

Information on the likely routes Inhalation, Ingestion and/or skin or eye contact **of exposure:**

Symptoms related to the physical, chemical and toxicological characteristics:

Inhalation: May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea

or vomiting.

Skin contact: Causes skin irritation. Symptoms may include redness, drying,

defatting and cracking of the skin.

Eye contact: May cause eye irritation. Symptoms may include discomfort or

pain, excess blinking and tear production, with possible redness

and swelling.

Acute Toxicity Values: Calculated overall Chemical Acute Toxicity Values (ATE)

 LD50 (Oral)
 LD50 (Dermal)
 LC50 (inhalation)

 >5000 mg/kg
 >5000 mg/kg
 >2mg/l

Eye Contact: Based on available data, the classification criteria are not met.

Skin Contact: This product is a skin irritant.

Sensitization: Based on available data, the classification criteria are not met.

Chronic Effects- Chemical Listed as a Carcinogen

Carcinogenicity: Ingredient or Potential Carcinogen (NTP, IARC, OSHA)

None of the ingredients present in this product at or above 0.1% are listed as potential carcinogens on the NTP, IARC or OSHA lists.

Reproductive Toxicity:Based on available data, the classification criteria are not met.Germ Cell Mutagenicity:Based on available data, the classification criteria are not met.STOT-single exposure:Based on available data, the classification criteria are not met.STOT-repeated exposure:Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Comment: All information was generated using the GHS classification criteria for mixtures

and test data where available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity: Per GHS, this product is classified as a category 2 aquatic chronic toxicant and

a category 2 aquatic acute toxicant.

Persistence and degradability: No data available

Safety Data Sheet Page 6 of 7
Hot Shot Wasp & Hornet Killer₃ July 16, 2024

Bioaccumulative potential:No data availableMobility in soil:No data availableOther adverse effects:No data available

Section 13 - DISPOSAL CONSIDERATIONS

Dispose of in accordance with all local, state,/provincial and federal regulations. For more information see product label.

Section 14 - TRANSPORTATION INFORMATION

DOT: UN Number: UN1950

Proper Shipping Name: Aerosols
Hazard Class: 2.1
Packing Group: None
Limited Quantity: ≤1L

IATA: UN Number: UN1950

Proper Shipping Name: Aerosols
Hazard Class: 2.1
Packing Group: None

IMDG: UN Number: UN1950

Proper Shipping Name: Aerosols
Hazard Class: 2.1
Packing Group: None
Limited Quantity: ≤1L

Marine Pollutant: Yes (Lambda-Cyhalothrin)

Section 15 - REGULATORY INFORMATION

US EPA Label Information:

EPA Pesticide Registration Number 9688-190-8845 **Federal Insecticide, Fungicide, Rodenticide Act Regulations**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subjected to certain labeling requirements under the federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

CAUTION: KEEP OUT OF REACH OF CHILDREN. Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after

handling.

FIRST AID: If Swallowed: Immediately call a Poison Control Center or doctor. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give any liquid to the person. Do not

give anything by mouth to an unconscious person. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. Have the product container with you when calling a Poison Control Center or doctor, or going for treatment advice.

Note to Physician: Contains petroleum distillates — vomiting may cause aspiration pneumonia. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water. PHYSICAL HAZARDS: Contents under pressure. Do not use of store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL: Storage: Store in cool, dry area away from heat or open flame. Disposal:

STORAGE AND DISPOSAL: Storage: Store in cool, dry area away from heat or open flame. **Disposal:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

EPA TSCA Inventory: All of the components of this product are either on the Toxic

Substances Control Act (TSCA) Inventory List or exempt.

SARA Hazard Category

See OSHA hazards listed in section 2.

(311/312):

Disclaimer:

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Section 16 - OTHER INFORMATION

Issue date: September 28, 2018

Revision date: July 16, 2024

Version number: 2.2