SHAKE WELL BEFORE USING

STOP. READ ENTIRE LABEL BEFORE EACH USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. SHAKE WELL BEFORE USING.

Use Restrictions • Do not allow adults, children or pets to enter the area until sprays have dried. • Application is prohibited directly into severs or drains, or to any area like a gutter where drainage to severs, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

GENERAL CLOTHING INSTRUCTIONS: This product must not be applied to dothing while it is being worn. Under no circumstances should bare skin or clothing on the body be treated. • For protection against ficis (Including those that may carry Lyme disease), chiggers and mosquitoes, apply product as directed below. For further protection, use in conjunction with an insect regeltent registered for direct application to the skin and utilize the following primary preventive messures. Avoid walking in areas where the pests are band, wear appropriate protective dating light-colored, long-sleeved duit and long ponts tucked into socks) and inspect body daily for ticks. Part and trids should be worn inside the socks or fortware to nearce that takks and chiggers.

INITIAL TREATMENT INSTRUCTIONS: • 1. Select a well-ventilated outdoor area protected from wind and lay out the clathing to be treated (as complete outfit: shirt, pants and socks). • 2. Hold container about 6-8 inches from surface of the clathing and spray with a slow, sweeping motion to lightly moisten the entire surface of the fabric. • 3. Continue spraying over entire outfit until a total treatment time of 60 seconds has elapsed and the outer surface of the fabric is moist enough to cause slight color change or darkening. Pay special attention to socks, point outfit and shirt caffs. • 4. Turn the clathing over and treat the other side as described in Steps 2 and 3. 5. Hong the treated clathing and allow to dry for at least two hours (four hours under humid conditions) before wearing. • 6. Three ounces will treat one complete outfit: Do not exceed rearmeneded sproving times.

INITIAL TREATMENT INSTRUCTIONS ON NETS, TENTS, SLEEPING BAGS AND BACKPACKS: Do not treat inside of sleeping bag. Spray exterior surfaces of tent only. Select or usell-ventilated outdoor area protected from wind and lay out orticle to be treated. Bidd container upright about 6 8 inches from surface of the article and spray with a slow, sweeping motion to lightly moisten the surface of the fabric. Continue spraying over entire article until the outer surface of the article is most enough to cause a light cloar change or durkning. Turn the article over and treat the other side as described above. Hong the treated article and allow to dry for at least two hous's (thous runder humit conditions) before using.

RE-TREATMENT INSTRUCTIONS: This product contains on active ingredient that actually binds to the fabric being treated, providing residual protection that lasts a minimum of two weeks and holds up through several machine washings. Do NOT RE-TREAT CLOTHING MORE THAN OKCE EVERY TWO WEEKS. LAUNDER CLOTHING AT LEAST OKCE BEFORE RE-TREATING. For re-treatment, follow instructions for initial treatment.

STORAGE AND DISPOSAL

Pesticide Storeage: Store in a cool, dry area, inaccessible to children and away from heat or open flame. Pesticide Disposal and Container Handling: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with scop and water after handling and before enting, chinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

DO NOT USE ON CATS. May be taxic or potentially fatal if applied to or ingested by cats. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.

FIRST AID

IF IN EYES: Hold eye open and rince slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Paison Control Center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Kince skin immediately with plenty of water for 15-20 minutes. Coll a Poison Control Center or doctor for treatment advice.

Have the product container with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-888-880-1181 for emergency medical treatment information.

Physical or Chemical Hazards • Contents under pressure. Do not use or store near heart or open flame. Exposure to temperatures above 130°F may cause bursting. Environmental Hazards • This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to ar near water. Drift and runoff may be hazardsous to fish in water adjacent to treated areas. See Directions for Use for additional precuritors and requirements. • This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions. Questions or Comments? Cull 1-888-880-1181 or visit our website at www.repel.com

Manufactured for WPC Brands, Inc. PO Box 4406, Bridgeton, MO 63044-0406 EPA Reg. No. 305-55 EPA Est. Nos. 9688-MO-1 (1), 3657-W1-2 (BU), 58996-MO-1 (AE) Circled Letter is first letter of lot number. 11-12550 © 2024 United Industries Corporation. All Rights Reserved.

FPO UPC

REPEL®

PERMETHRIN CLOTHING & GEAR

REPELS & KILLS TICKS, MITES & MOSQUITOES



ONE TREATMENT LASTS 2 WEEKS

UNSCENTED

DO NOT APPLY TO SKIN

KEEP OUT OF REACH OF CHILDREN DO NOT USE ON CATS CAUTION for precoutions. Net Wt 6.5 oz (184 g)